

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7

AREA	DETERMINATION POINT	RECTIFYING SIGNAL	DETERMINATION POINT x RECTIFYING SIGNAL
0	-3.0, 3.0	-0.333, -0.333	2.0, 0.0
1	-1.0, 3.0	-0.2, -0.6	2.0, 0.0
2	1.0, 3.0	0.2, -0.6	2.0, 0.0
3	3.0, 3.0	0.333, -0.333	2.0, 0.0
4	-3.0, 1.0	-0.6, -0.2	2.0, 0.0
5	-1.0, 1.0	-1.0, -1.0	2.0, 0.0
6	1.0, 1.0	1.0, -1.0	2.0, 0.0
7	3.0, 1.0	0.6, -0.2	2.0, 0.0
8	-3.0, -1.0	-0.6, 0.2	2.0, 0.0
9	-1.0, -1.0	-1.0, 1.0	2.0, 0.0
A	1.0, -1.0	1.0, 1.0	2.0, 0.0
B	3.0, -1.0	0.6, 0.2	2.0, 0.0
C	-3.0, -3.0	-0.333, 0.333	2.0, 0.0
D	-1.0, -3.0	-0.2, 0.6	2.0, 0.0
E	1.0, -3.0	0.2, 0.6	2.0, 0.0
F	3.0, -3.0	0.333, 0.333	2.0, 0.0

FIG.8



●:INPUT SIGNAL POINT
○:IDEAL SIGNAL POINT

FIG. 9